

# DAITO's Dispersion Series



- Stable Dispersion at Low Viscosity
- Contain FDA Certified, Furnace Carbon Black **DK BLACK No.2**
- Easy to formulate Eye liner, Mascara etc.
- Dust Free

## ● Superior Dispersability



## WD Series –Water Dispersion-

Grade	Remark
<b>WD-CB2</b>	Standard Grade
<b>WD-CB2S</b> <i>New!</i>	Stearth Type
<b>WD-CB2NP</b> <i>New!</i>	No Preservative Low pH

## ISD –Isododecane Dispersion-

Grade	Remark
<i>New!</i> <b>ISD-CB2</b>	For Water Proof Formula

No. DE-0007-WDCB2

# FDA Carbon Black Eye Liner

<PROPERTY>  
 Water Resistant  
 Good dispersability

<Phase>	<Ingredient>	<%>	<Trade Name>	<Supplier>
A	DE-IONIZED WATER	48.40		
A	1,3-BUTYLENE GLYCOL	1.00		
A	XANTHANGUM (AND) HECTORITE (AND) CELLULOSE GUM	0.20	THICKAGENT LC	LCW\DAITO KASEI
A	PRESERVATIVE	0.30	PHENONIP	
B	WD-CB2	20.00		DAITO KASEI
C	DAITOSOL 5000SJ	30.00		DAITO KASEI
D	AF Emulsion (10% in water)	0.10		Dow Corning
		TOTAL : 100.00		

No. DM-0015-NFCB

# FDA Carbon Balck Fiber Mascara

<PROPERTY>  
 Water Resistant  
 Color: Black  
 Long Lash

<Phase>	<Ingredient>	<%>	<Trade Name>	<Supplier>
	(MASCARA BASE)			
A	CARNAUBA	5.50		
A	BEESWAX	9.00		
A	STEARIC ACID	2.00	LUNAC S-98	Kao Chemicals
A	GLYCERYL STEARATE SE	2.00	RHEODOL MS165V	Kao Chemicals
A	PROPYLENE GLYCOL STEARATE	2.00	HOMOTEX PS-200	Kao Chemicals
A	POLYISOBUTENE	2.00		
A	CYCLOMETHICONE	5.00	KF995	Shin Etsu
A	PROPYLPARABEN	0.10		
B	WD-CB2	20.00		DAITO KASEI
B	DE-IONIZED WATER	18.32		
B	1,3-BUTYLENE GLYCOL	2.00		
B	TRIETHANOLAMINE	1.75		
B	METHYLPARABEN	0.18		
B	ETHYLPARABEN	0.15		
C	DAITOSOL 5000SJ	30.00		DAITO KASEI
		TOTAL : 100.00		
	(FINAL COMPOUND)			
	MASCARA BASE	95.00		
	NFCB-3D-1T	5.00		DAITO KASEI
		TOTAL : 100.00		