



# DAITO's Fiber Series

## Nylon Fiber Series



INCI Name: NYLON-6  
表示名称: ナイロン-6

## Rayon Fiber Series



INCI Name: RAYON  
表示名称: レーヨン

From Viscose Rayon, Natural origin  
ビスコースレーヨン、天然由来

Grade/製品	Color/色	Shape/断面	Composition/成分
<b>NFW</b>	White/白色 	Round/丸	Nylon-6 Silica (TiO2)
<b>NFCB</b>	Black/黒色 	Round/丸 	Nylon-6 Silica Black 2 (CI 77266) <b>FDA certified Carbon Black DK BLACK No.2</b>
<b>NFBR</b>	Brown/茶色 	or Triangle/三角 	Nylon-6 Silica Iron Oxides
<b>NFBL</b>	Black/黒色 		

Grade/製品	Color/色	Shape/断面	Composition/成分
<b>New!</b> <b>RFCB</b>	Black/黒色 	Round/丸 	Rayon Silica Black 2 (CI77266) <b>FDA certified Carbon Black DK BLACK No.2</b>
<b>RF with Iron Oxides</b>		<b>Coming Soon!</b>	

### Remark

• **Product Name** 製品名 ex. **NFCB-10D-2R**

Nylon Fiber      ↓      Carbon Black      ↓      Thickness (Denier)      ↓      Round Shape      ↓      Length (mm)

• **Various Thickness & Length are available.**  
各種サイズ (デニール、長さ) 対応可能  
Approx Thickness in μm (In case of Nylon)  
3D=20 μm, 12D=39 μm, 17D=46 μm

No. DM-0019-NFBR

## Brown Fiber Mascara

## &lt;PROPERTY&gt;

Water resistant

Curl

Flexibility

Color: Dark brown

Long Lash

Moisturizing

<Phase>	<Ingredient>	<%>	<Trade Name>	<Supplier>
A	CARNAUBA	5.45		
A	BEESWAX	8.95		
A	STEARIC ACID	2.00	LUNAC S-98	Kao Chemicals
A	GLYCERYL STEARATE SE	2.00	RHEODOL MS165V	Kao Chemicals
A	PROPYLENE GLYCOL STEARATE	2.00	HOMOTEX PS-200	Kao Chemicals
A	OLEIC ACID	1.00		
A	POLYISOBUTENE	2.00		
A	CYCLOMETHICONE	4.00	KF995	Shin Etsu
B	ASI YELLOW-100P	1.40		DAITO KASEI
B	ASI RED R-516P	1.40		DAITO KASEI
B	ASI BLACK BL-100P	7.20		DAITO KASEI
C	DE-IONIZED WATER	36.45		
C	1,3-BUTYLENE GLYCOL	2.00		
C	PVP	2.00	LUVISKOL K30	
C	XANTHANGUM (AND) HECTORITE (AND) CELLULOSE GUM	0.10	THICKAGENT LC	LCW\DAITO KASEI
C	TRIETHANOLAMINE	1.75		
C	METHYLPARABEN	0.10		
C	PHENOXYETHANOL	0.20		
D	DAITOSOL 4000SJT	20.00		DAITO KASEI
		TOTAL : 100.00		
(FINAL COMPOUND)				
MASCARA BASE		97.00		
NFBR-10D-2R		3.00		DAITO KASEI
		TOTAL : 100.00		

No. DM-0020-NFBR

## Eyebrow Mascara

## &lt;PROPERTY&gt;

Water Resistant

<Phase>	<Ingredient>	<%>	<Trade Name>	<Supplier>
A	DE-IONIZED WATER	57.65		
A	1,3-BUTYLENE GLYCOL	5.00		
A	SODIUM POLYACRYLATE	0.65	COVACRYL RH	LCW\DAITO KASEI
A	PRESERVATIVE	0.30		
B	C2-5 YELLOW LL-100P	2.40		DAITO KASEI
B	C2-5 RED R-516P	0.50		DAITO KASEI
B	C2-5 BLACK BL-100P	0.50		DAITO KASEI
C	DAITOSOL 4000SJT	20.00		DAITO KASEI
D	TIMIRON MP-29	12.00		
E	NFBR-10D-2T	1.00		DAITO KASEI
		TOTAL : 100.00		